


DATA SHEET

UV Blocking Glass Sheet

MATERIAL: Borosilicate "Borofloat" Dielectric Coated
SPECTRAL DATA: Tabs>90%[420~620nm]
T50%[640~660nm]
Tab<3%[700~1000nm]
Tab<5%[1000~1100nm]
AR Coated Both Sides



UV BLOCKING FILTER

WAVE nm	T%	WAVE nm	T%	WAVE nm	T%	WAVE nm	T%	WAVE nm	T%
300	-0.033	490	96.593	680	4.044	870	-0.212	1060	0.347
310	-0.021	500	95.374	690	2.099	880	-0.539	1070	0.619
320	0.039	510	95.416	700	1.452	890	-0.473	1080	0.612
330	-0.001	520	97.002	710	0.887	900	-0.507	1090	0.457
340	-0.022	530	97.429	720	0.453	910	-0.505	1100	0.363
350	0.056	540	97.247	730	0.223	920	-0.524	1110	0.388
360	0.059	550	97.445	740	0.17	930	-0.5	1120	0.56
370	0.067	560	96.031	750	0.18	940	-0.376	1130	0.94
380	0.66	570	97.794	760	0.218	950	-0.255	1140	1.713
390	34.958	580	98.288	770	0.189	960	-0.31	1150	3.29
400	87.063	590	98.139	780	0.119	970	-0.423	1160	6.601
410	91.97	600	97.474	790	0.038	980	-0.49	1170	13.319
420	94.848	610	97.472	800	-0.001	990	-0.506	1180	24.469
430	96.375	620	96.977	810	0.132	1000	-0.507	1190	35.9
440	95.822	630	98.145	820	0.063	1010	-0.497	1200	41.716
450	95.646	640	91.169	830	0.125	1020	-0.47		
460	96.379	650	59.801	840	0.158	1030	-0.417		
470	96.867	660	26.819	850	0.092	1040	-0.293		
480	96.837	670	10.665	860	0.016	1050	-0.032		